

Notice of Allowability

Application No.

10/087,176

Examiner

Erica B Harris

Applicant(s)

ALLEXON ET AL.

Art Unit

3634

HW

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an amendment filed 3/26/04 and a telephone interview on June 21, 2004.
2. ☒ The allowed claim(s) is/are 1,3-11 and 13-22.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 6/21/04.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Peter L. Costas on Monday, June 21, 2004.

The application has been amended as follows:

CLAIMS

(1) Claim 7, line 5, "from said one wall" has been changed to --from said one support wall--.

(2) Claim 15, line 5, "from said one wall" has been changed to --from said one support wall--.

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: in Figure 4, the lead lines from reference numbers "58" and "60" are to be changed to end in arrows because they denote features that are further defined by additional reference numbers; and the flange identified by reference number "30" is to be changed to remove the last inwardly projecting portion thereof such that the flange is outwardly extending as defined within the specification. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Art Unit: 3634

3. The following is an examiner's statement of reasons for allowance: These claims have been allowed over the prior art of record because the prior art of record neither teaches nor suggests a modular bin assembly as recited in claims 1, 11, 18, 21, and 22 with particular attention to each end wall being comprised of a generally planar panel and a flanged panel which provides a pair of outwardly angled flanges on one end wall and a pair of inwardly angled flanges on the opposing end wall (claims 1 and 11); the end cover members that have mating flanges for the flanges of the end wall members (claims 18 and 22); and first and second support walls wherein the second support wall includes slots for seating the divider panels and the flanged end walls being configured to couple with similar end walls of another similar bin (claim 21).


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erica B Harris whose telephone number is 703-306-9071. The examiner can normally be reached on 9-5:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter M Cuomo can be reached on 703-308-0827. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3634

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Erica B. Harris
June 25, 2004


Peter M. Cuomo
Supervisory Patent Examiner
Technology Center 3600